



## AG29-053 W

Cross 290 mm 4 directions plus foot **Supplied with 3x junction kits**

Référence: H11478

**549,00 € inc. VAT**










- 50 mm tubes
- 16 mm threads
- Triangular section with 240 mm spacing between each tube (290 mm outside)
- Assembled with conical pin and key
- Cross + mast - 5 directions
- Use: horizontal cross + vertical mast junction
- Maximum overall dimensions: 710 mm x 710 mm
- Manufactured to ISO DIN 4113 and TÜV standards.
- Aluminum alloy structure (EN AW 6082 T6).
- The use of conical junctions and wedges enables very rapid implementation of all types of configurations, combining great robustness with irreproachable stability. Disassembly is also quick and easy.

## Caractéristiques

<b>Brand</b>	ConteStage
<b>Finish colour</b>	White
<b>Family</b>	Triangular 290
<b>Truss</b>	Corners

## Références compatibles

 <p><b>MC29-KIT</b> <b>41,00 € inc. VAT</b> Réf: H3261</p>	 <p><b>PT29-029 W</b> <b>129,00 € inc. VAT</b> Réf: H11461</p>	 <p><b>PT29-050 W</b> <b>139,00 € inc. VAT</b> Réf: H11462</p>	 <p><b>PT29-071 W</b> <b>169,00 € inc. VAT</b> Réf: H11463</p>	 <p><b>PT29-100 W</b> <b>189,00 € inc. VAT</b> Réf: H11464</p>
 <p><b>PT29-300 W</b> <b>369,00 € inc. VAT</b> Réf: H11466</p>	 <p><b>PT29-200 W</b> <b>279,00 € inc. VAT</b> Réf: H11465</p>			

## Galerie photos

