

PUBLIC ADDRESS, WALL CONTROLLERS




AmiCTL1w

Part no. H11878 EAN 3662009029511

Direct access to essential functions.

- › Wall-mounted controller for Ami series matrices
- › PoE — White
- 6 programmable buttons and 1 rotary encoder



PRODUCT PAGE ONLINE

audiophony-pa.com/ami/amictl1.html

Manuals, compatible accessories and updates — scan the code or click the address.

[User manual \(PDF\)](#)

Technical specifications

	6 fully programmable buttons and 1 rotary encoder
	Level Indicator LEDs
	Flexible function assignment — source, volume, presets, third-party control
Third-party protocols	RS232, RS485, UDP
	Unlimited number of controllers per matrix
	Compatible with the entire Ami line
Power	PoE, 48 V max. — PoE switch required
Power consumption	< 5 W
Maximum cable length	100 m
Connection port	1 × RJ45
Dimensions	86 × 86 × 35 mm
Weight	200 g

Overview

Direct access to essential functions.

The AmiCTL1 is the wall-mounted controller in the Ami line for users who need immediate access to their system's key functions. Six fully programmable buttons and a rotary encoder: the installer decides which functions are accessible—source selection, volume control, preset recall, and control of third-party equipment via RS232, RS485, or UDP. Level indicator LEDs provide immediate visual feedback.

Installation and Compatibility.

Powered by PoE via a single network cable (PoE switch required), it installs in a standard flush-mount box. Compatible with all matrices in the Ami line—the number of controllers per matrix is unlimited.

Compatible accessories



Ami04
H11872



Ami04D
H11873



Ami08
H11874



Ami08D
H11875



Ami16
H11876



Ami16D
H11877



PoE10-250
H11913

Photo

