



AMP 150.4

Professional 4-channel power amplifier in an extremely compact case 480 mm (H: 44 mm): 4x 150 Wrms @ 4 ohms

Référence: B00273

- Professional 4-channel power amplifier in an extremely compact case 480 mm (H: 44 mm)
- The high efficiency Class D electronic circuits ensure high power and very low heat dissipation.
- It is perfect for fixed applications (pubs, stores, hotels, restaurants, ...)
- The unit houses 2 separate Class D amplifier blocks that are independently configurable to achieve the following combinations:
 - The two amplifier blocks in stereo mode: 4x 150 W RMS under 4 Ω (4x 80 W RMS under 8 Ω)
 - The two amplifier blocks in bridge mode: 2x 300 W RMS under 8 Ω
 - 1 stereo amplifier block + 1 bridge amplifier block : 2x 150 W RMS under 4 Ω + 1x 300 W RMS under 8 Ω
- Completely silent operation: No cooling fans!
- Saturation limiter prevents signal distortion
- Protections against overload + overheating + short-circuit + continuous leakage current
- Balanced combined inputs (XLR + jack).
- Outputs via cable terminal block + Speakon®.


Caractéristiques

Brand	JB Systems
Power in 4 Ω	4 x 150 W rms
Power in 8 Ω	4 x 80 W rms
Bridge mode at 4 Ω	2 x 150 W rms
Bridge mode at 8 Ω	2 x 300 W rms
Function	Bridge
Family	AMP


Galerie photos



STEREO



STEREO + BRIDGE



BRIDGE

