



AMP400.2 Mk2

Référence: B08129

369,00 € inc. VAT



Professional power amplifier: 2 x 450 W RMS / 4 ohms

- Professional two-channel power amplifier.
- This Mk2 version has been completely reworked in-house for better reliability and more power.
- Extremely compact case in 19" rack, only one unit in height (44 mm)!
- Lightweight design with soft start thanks to switch mode power supply technology.
- Three amplification modes are available: stereo, mono and bridged.
- Stereo Power :
 - 2 x 450 W RMS at 4 Ω
 - 2 x 250 W RMS at 8 Ω
- Bridge power:
 - 1 x 900 W RMS at 8 Ω
- Highly efficient cooling system using temperature-controlled fans.
- A peak limiter prevents distortion in the signal.
- Switchable high-pass filter of 75 Hz / -24 dB.
- Adjustable input sensitivity: 0.775 V ~ 1.0 V ~ 1.44 V.
- Grounding switch.
- A plastic cover (included) can be installed to prevent unauthorized persons from changing the input levels.
- Protections: DC anomalies + high temperature + overload + circuit breaker.
- Balanced XLR inputs and jacks outputs: possibility to connect several amplifiers in 'daisy chaining'.
- Three Speakon® outputs: left and right channels + bridge.

Caractéristiques

| | |
|---|---------------------------------------|
| Brand | JB Systems |
| Power in 4 Ω | 2 x 450 W rms |
| Power in 8 Ω | 2 x 250 W rms |
| Bridge mode at 8 Ω | 1 x 900 W rms |
| Function | Adjustable crossover, Bridge, Limiter |
| Family | AMP |

Galerie photos



AVOID TAMPERING WITH AUDIO SETTINGS



www.hitmusic.eu/en/