



## BM-Control

Référence: H11388

329,00 € inc. VAT



Magnetic field meter. The field strength meter has been designed to ensure that magnetic loop systems are installed and certified to the new IEC 60118-4 standard. When these standards are met, the user's comfort will be the same wherever he or she is using the T-position prosthesis.

The BM-Control allows the commissioning of an installation and the certification of its conformity. To do so, please follow the procedure for receiving magnetic loops in the appendix. You will then be able to complete the certificate of compliance.

This manual and ergonomic measuring instrument has two calibrated measuring functions and two types of filters to remove background noise and magnetic field strength. Using a headset, the BM-Control allows you to listen to and control the installation of your magnetic loop.

### Scale calibration

Operating mode -20dB :  $-20\text{dB} = 0.043\text{A/m}$

0dB operating mode:  $0\text{dB} = 0.4\text{A/m}$

Measurement type: True RMS 125ms

### Frequency response

Filter : A/Flat

30Hz ~ 500Hz :  $-3\text{dB} \sim -4\text{dB}$

500Hz ~ 2500Hz :  $+/-0,25\text{dB}$

2500 ~ 10kHz :  $+3\text{dB}$

### Outputs

Display: LEDs of different colors

Headphones: 3.5mm stereo plug

### Power supply

Batteries: 2 x LR6 - AA

Control: LED

Duration of service: 100h

### Dimensions

Dimensions (W x H x D): 83 x 126 x 35 mm

Weight : About 300g

### Caractéristiques

<b>Brand</b>	Audiophony PA
--------------	---------------

## Galerie photos



[www.hitmusic.eu/en/](http://www.hitmusic.eu/en/)