



BT-CHROMA 800

Powerful IP65 indoor/outdoor LED floodlight (40x 20W RGBL LEDs) for entertainment and rental industry or fixed installation

Référence: B05538

1690,00 € inc. VAT



- Powerful IP65 indoor/outdoor LED floodlight, designed for maximum flexibility in various applications.
- Can be used for rentals, entertainment industry and fixed installations.
- 40 LEDs 20W RGBL ensure very high light output with perfect color mixing and excellent white light!
- RGB, RGBL and HSI color control, 8 and 16 bit resolution.
- Extremely multifunctional wiring options:
 - **RENTAL/RELEASE applications:** equipped with standard 3-pin XLR inputs/outputs and IP65 lockable power connectors for easy daisy-chaining.
 - **FIXED installations:** with an optional kit called " **BT-CHROMA 800 - FIX install set**" (POWER and DMX input/output modules with stainless steel cable glands + 2 stainless steel bolts for fixed tilt positioning), the fixture can easily be converted for permanent outdoor installation.
- Equipped as standard with 15° optics and a magnetic aluminum filter frame with gel filter.
- Different operating modes with combinations of 1, 2, 5 or 10 pixels for beautiful special effects.
- Full DMX control with RDM support: from simple 3 channel to sophisticated 81 channel control.
- Integrated antenna and **Wireless Solution® G4/G4S DMX receiver** (at 2.4 GHz) for easy installation and operation.
- Stand-alone operation with static color and white presets, color fade and over 20 multi-pixel programs.
- Various optional accessories are available to achieve perfect results:
 - **Baffle:** adjust the beam easily on stage
 - **Anti-glare shield:** Static beam limiter hides LEDs and eliminates unwanted stray light.
 - **Different beam shaping filters:** 60° - 60°x 10° - 10°x 60° - 40°x 1° - 1°x 40° to get the perfect beam!
 - **Empty magnetic filter frame:** for easy installation of different beam shaping filters.
- Elegant extruded aluminum housing with tempered glass cover as a finish.
- Solid and multifunctional base:
 - **Installation on structures:** simple mounting on structures using 1 or 2 optional OMEGA supports.
 - **Fixed installation:** easy and secure mounting on any surface, using standard anchor bolts.
- Optimal thermal management for long life and easy maintenance
- Very quiet operation, thanks to the temperature-controlled sealed cooling fans.
- OLED alphanumeric display and waterproof touch buttons to select different options in the configuration menu.
- Adjustable lamp behavior through transparent dimming speed control.
- Four intensity variation curves: linear, square, inverted square, S-curve.
- In case of DMX failure, you can choose between all off, freeze mode and automatic stand-alone mode.
- Lock function to prevent unwanted configuration changes.
- Equipped with a special GORE® membrane to prevent moisture and condensation build-up inside the fixture.

Caractéristiques

Brand	Briteq
Controllable colours	RGBL, White presets (CCT)
Protection class	IP65
Protocole	DMX, RDM, Wireless DMX

Références compatibles



**OMEGA BRACKET
SMALL**

**7,90 € inc.
VAT**

Réf: B02677



**BT-CHROMA 800 -
Barndoor**

**119,00 € inc.
VAT**

Réf: B05547



**CASE FOR 4x BT-
CHROMA800**

**699,00 € inc.
VAT**

Réf: B03303



**BT-CHROMA 800 -
Anti Glare Grid**

**69,00 € inc.
VAT**

Réf: B05559



**BT-CHROMA 800 -
100° beam**

**44,90 € inc.
VAT**

Réf: B05567

Galerie photos







