



## BT-COLORAY 18FCR

18 x 8 W RGBW LED IP65 floodlight with 20° beam angle. Fan cooled

Référence: B05512

**459,00 € inc. VAT**



- LED spotlight IP 65 RGBW 18 x 8 W
- 20° beam
- IP65-rated, designed to withstand outdoor environments
- Three DMX modes for flexible control: 4, 6 and 7 channels
- Includes RDM functionality to simplify remote configuration, including DMX addressing and channel mode selection
- Intuitive LCD display for easy navigation through various configuration menus
- Specially designed for television studios thanks to flicker-free LEDs with a high refresh rate of 1200 Hz
- Offers lighting behavior options, allowing you to simulate a slow-response halogen lamp or a fast-response diode
- Provides four types of dimming curves for customized lighting: linear, square, inverted square and S-curve
- In the event of DMX signal loss, features "all off" or "hold" modes to ensure lighting continuity
- Includes a lock function to prevent unwanted changes to settings
- Allows precise adjustment of white balance to harmonize several projectors together
- Able to store and load factory default settings as well as custom configurations
- Equipped with 3-pin DMX inputs/outputs and Neutrik TRUE1 powerCON inputs/outputs for easy series connection
- **Note: This product displays an IP65 degree of protection when used in non-permanent outdoor installation and under normal conditions (not exposed to seawater).**

## Caractéristiques

<b>Brand</b>	Briteq
<b>Controllable colours</b>	RGBW
<b>Protection class</b>	IP65
<b>Protocole</b>	DMX, RDM
<b>Finish colour</b>	Black
<b>Lux</b>	791 lux (20°) at 5 m

## Références compatibles



**OMEGA BRACKET  
SMALL**

**7,90 € inc.  
VAT**

Réf: B02677



**PROJECTOR CASE  
3**

**590,00 € inc.  
VAT**

Réf: B03280



**BT-COLORAY  
18FCR WHITE**

**529,00 € inc.  
VAT**

Réf: B05580

## Galerie photos









