



## BT-POWERJET MK2

3200 W vertical fog machine - 35 RGB LEDs

Référence: B04753

**1350,00 € inc. VAT**



- This high-performance vertical smoke generator creates explosive columns over 12 m high.
- An economical and practical alternative to the often costly and complex effects of CO2 jets.
- Spectacular lighting thanks to 2 independent LED rings incorporating 35 RGB LEDs (total power: 315 W).
- Powerful, fast-flowing smoke thanks to a 3200 W heating element combined with a high-pressure compressor.
- Versatile operation: creates ascending or descending columns ("OMEGA BRACKET SMALL" brackets required for inversion).
- Flexible control via 5 or 11 DMX channels.
- Wireless DMX compatibility: simply connect the optional WTR-DMX dongle.
- Easy mounting with optional omega brackets.
- ECO mode included: reduces power consumption to 1600 W for optimized operation.
- Recommendation: use a "fast-dissipating" smoke liquid for perfect effects.
- Advanced connectivity: powerCON TRUE1, XLR 3-pin and 5-pin.

## Caractéristiques

|                             |                   |
|-----------------------------|-------------------|
| <b>Brand</b>                | Briteq            |
| <b>Smoke jet</b>            | 12 m              |
| <b>Controllable colours</b> | RGB               |
| <b>Protocole</b>            | DMX, Wireless DMX |

## Références compatibles



**OMEGA BRACKET  
SMALL**

**7,90 € inc.  
VAT**

Réf: B02677



**BT-FOGLIQ5 FAST**

**20,90 € inc.  
VAT**

Réf: B04759



**WTR-DMX  
DONGLE**

**59,00 € inc.  
VAT**

Réf: B04645

## Galerie photos





**BriteQ**  
LIGHT RESEARCH

**BT-POWERJET**  
MK2

**CAUTION**  
RISK OF ELECTRIC SHOCK  
DO NOT OPEN  
WARNING: SHOCK HAZARD - DO NOT OPEN  
AVIS: RISQUE DE CHOC ELECTRIQUE - NE PAS OUVRI  
WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK  
DO NOT EXPOSE THIS EQUIPMENT TO RAIN OR MOISTURE  
AVIS: NE PAS EXPOSER CE MATERIEL A LA PLUIE OU L'UMIDITE  
AFIN DE REDUIRE LE RISQUE D'INCENDIE OU DE CHOC ELECTRIQUE

CE  
www.briteq.com

Initializing...  
BT-POWERJET MK2

MENU TIMER FOG ENTER/STOP

USB  
M  
CHECK

POWER ON/OFF

DMX  
OUTPUT INPUT

BREAKER  
PUSH TO RESET  
POWER IN  
220V-240V - 3500Wmax

**IMPORTANT:**  
FILL THE FLUID TANK BEFORE STARTING UP  
DO NOT USE WITHOUT FOG FLUID!  
RESTART THE UNIT AFTER EVERY REFILL  
EMPTY THE FLUID TANK BEFORE TRANSPORT





LOCK THE DOOR BEFORE USE

MAX CAPACITY:  
5L 3.8 L

NEVER ADD FLAMMABLE SUBSTANCES.  
ONLY USE CE-CERTIFIED FOO FLUID TANK.  
DO NOT OPERATE WITH AN EMPTY FLUID TANK.  
NIET MET EEN LEEG VLOESTOF-TANK IN GEWISSE NIEMEN.  
NE JAMAIS AJOUTER DES SUBSTANCES INFLAMMABLES  
UNQUILLEMENT DES LIQUIDES POUR MACHINE A FUMEE  
UTILISER UNiquement DES LIQUIDES SELON LES NORMES CE  
QUE SONT CERTIFIES UN RESERVOIR DE LIQUIDE VIDE  
NE PAS UTILISER AVEC UN RESERVOIR DE LIQUIDE VIDE  
VERWENDE NIEMALS ENTZUNDLICHE FLUSSMIDTEL  
VERWENDE NIEMALS FLUSSMIDTELSTANK BETRIEBEN  
NUNCA AÑADIR SUSTANCIAS INFLAMABLES  
UTILIZAR SÓLO LIQUIDOS PARA MAQUINA DE FUMOS  
QUE SEAN CERTIFICADOS SEGUN LAS NORMAS CE  
NO OPERE CON UN TANQUE DE LIQUIDO VACIO





