



BT-PROFILE 6C20 ENGINE

1190,00 € inc. VAT

280W color + white LED module for theater cut-outs (2 kW halogen alternative) Compatible with "ETC source four" optics



SKU: B06054

Categories: [Scenography projectors](#)

Tags: [New](#)

EAN13 : 5420025660549

brand Briteq

- 280 W LED spotlight with powerful multicolour technology
- Efficient replacement for 2 kW halogen spotlights, reducing energy consumption in theaters
- 6-color RGBALC LED matrix (red, green, blue, amber, lime, cyan) featuring :
 - Perfect white presets, adjustable between 1800 K and 10000 K, with high color rendering index (CRI > 90Ra)
 - A vast selection of colors, with the same presets as the BT-THEATRE HD2 and BT-PROFILE HD models
 - Realistic emulation of the "amber drift" (dim-to-warm) typical of traditional halogen lamps
- Color calibration system eliminates variations between different batches of LEDs
- Ultra-quiet operation thanks to discreet cooling fan, with different operating modes (live, studio, power)
- Can be used stand-alone, without DMX control
- DMX control with 8 channel modes for maximum flexibility
- RDM functionality for remote installation and configuration
- Flicker-free images during TV recordings, thanks to high LED refresh rate settings
- Adjustable dimming response (fast or slow)
- OLED display for easy navigation through configuration menus
- Lock function to prevent accidental parameter changes
- 5-pin DMX inputs/outputs and PowerCON TRUE1 connections for easy chaining

Several optics are available separately (compatible with ETC source four):BT-PROFILE 1530 OPTIC (zoom range 15° - 30°)BT-PROFILE 2550 OPTIC (zoom range 25° - 50°)Fixed-aperture optics by special order only

INFORMATIONS COMPLÉMENTAIRES

Brand	Briteq
Protection class	IP20
Controllable colours	RGBALC, White presets (CCT)
Protocole	DMX, RDM
Function	Manual focus, Manual zoom

GALERIE D'IMAGES



