

BT-THEATRE 200TW

589,00 € inc. VAT

Powerful Fresnel theater/TV LED 200W with adjustable white from 2800K to 6000K



SKU: B06030

Categories: [Scenography projectors](#)

EAN13 : 5420025660297

brand Briteq



- Powerful 200W LED theater spotlight with **adjustable CCT**.
- Double LED (100W 2800 K + 100W 6000 K) for adjustable white with CCT from 2800 K to 6000 K!
- This versatile projector is perfect for TV work, theater, rentals, and exhibition booths!
- Outstanding photometric performance / price: CRI/Ra > 96, TLCI > 98, CQS > 96, Rf > 94, Rg > 100 (@3000 K)
- Manual beam angle adjustment: 12° ~ 56° (field of view: 20° ~ 67°)
- Manual CCT presets when used in stand-alone mode: 2800 K, 3000 K, 3200 K, 4000 K, 4300 K, 5600 K, 6000 K.
- Filter holder for the use of color filters and eight-leaf barn door included.
- No need for heavy and expensive drive blocks!
- Very quiet operation: very low-noise, temperature-controlled cooling fan.
- LCD screen for easy navigation through the configuration menu!
- Manual or DMX control: 5 different channel modes (8bit/16bit dimmer) for maximum flexibility.
- Can be used in DMX 1 channel mode, with CCT preset of your choice.
- Prepared for wireless DMX: just connect an optional DONGLE WTR-DMX! (Briteq® code: B04645)
- Flicker-free TV recordings thanks to the adjustable refresh rate of the LED: 600 Hz to 4800 Hz!
- Manual dimming and focus adjustment: easy alignment of the projector on stage + use on exhibition stands.
- Choice of lamp behavior: halogen lamp (slow) or LED (fast).
- Four intensity variation curves: linear, square, inverted square, S-curve.
- In case of DMX failure, blackout, freeze or manual mode will remain available.
- RDM functionality for easy installation and remote monitoring: DMX addressing, channel mode, temperature, ...
- Lock function to prevent unwanted configuration changes.
- Factory default settings and personal settings can be stored/loaded.

- 3- and 5-pin DMX inputs/outputs and lockable power connectors (Neutrik® PowerCon® compatible) for easy daisy-chaining

INFORMATIONS COMPLÉMENTAIRES

Brand	Briteq
Controllable colours	Dynamic white, White presets (CCT)
Protection class	IP20
Protocole	DMX, RDM, Wireless DMX

GALERIE D'IMAGES



