

SCENOGRAPHY PROJECTORS



BT-THEATRE 250EZ Mk3

Part no. B06052 EAN 5420025660525

Features.

Ultra-powerful 250 W LED theater spotlight with motorized zoom from 11° to 58° and very quiet cooling. Faithfully reproduces the effect of a Fresnel halogen thanks to redshift/amber drift.



PRODUCT PAGE ONLINE

briteq-lighting.com/bt-theatre-250ez-mk3

Manuals, compatible accessories and updates — scan the code or click the address.

[User manual \(PDF\)](#)

Technical specifications

- 250 W warm-white 3200 K LED with exceptional brightness
- Redshift/amber drift effect for a rendering faithful to traditional halogen Fresnels
- Outstanding photometric performance:
- CRI/Ra > 98
- TLCI > 98
- CQS > 96
- Rf > 95
- R9 > 97
- Includes filter holder and eight-leaf barn door

Overview

Technical specifications :

Features.

:

DMX control with 7 channel modes (8-bit and 16-bit dimming)

Wireless DMX compatible with direct DONGLE WTR-DMX connection

HF PWM dimming up to 4.8 kHz for flicker-free TV recordings without dimmer noise

Manual dimming and focus adjustment for precise alignment

Fluid simulation of halogen lamp behavior

Four dimming curves: linear, square, inverted square and S-curve

Other features:

Optimized cooling system for ultra-quiet operation

Improved LCD display for intuitive configuration menu navigation

Integrated RDM functionality for simplified remote configuration


Lock mode to prevent unintentional changes to settings

Store and restore factory settings and custom configurations

3 and 5-pin DMX connections + powerCON TRUE1-compatible power inputs/outputs for easy chaining

Suspension bracket compatible with omega bracket small

Dimensions



Compatible accessories



BT-THEATRE YOKE
B06021



PROJECTOR CASE 4
B03285



**OMEGA BRACKET
SMALL**
B02677



WTR-DMX DONGLE
B04645

Photo



Photo



Photo



Photo




Photo



Photo



Photo



Photo

