FOG MACHINES

BT-TOURFAZER

Part no. B04773 EAN 5420025647731

Unparalleled smoke output.

- Compact
- High-performance fog machine in a tour flight case
- 2,200 W
- With wired and wireless DMX control



PRODUCT PAGE ONLINE

briteq-lighting.com/bt-tourfazer

Manuals, compatible accessories and updates — scan the code or click the address.

Technical specifications

Power supply	**AC 220–240 V, 50/60 Hz**
Power	**2,200 W**
Fuse	**15 A**
Smoke extraction rate	**566 m³/min (20,000 ft³/min)**
Warm-up time	**4.5 minutes**
Tank capacity	**5 liters**
Fluid consumption	**1–42 ml/min**
Recommended fluid	**BT-FOGLIQ5 PRO2**
DMX channels	**2**
Connectors	**3-pin + 5-pin DMX XLR, powerCON TRUE1**
Wireless DMX	**optional WTR-DMX dongle**
Dimensions	**660 × 300 × 610 mm**
Weight	**34 kg**

Overview

The BT-TOURFAZER is a professional laser machine designed for the most demanding tours and live events. Housed in a rugged flight case equipped with lockable wheels and carrying handles, it sets up in seconds: simply remove the front and rear covers, connect the powerCON TRUE1, and the machine is ready to go. Instant setup, with no tools or complicated procedures required.

Unparalleled smoke output.

With its 2,200 W and large internal fan, the BT-TOURFAZER delivers up to 566 m³ of smoke per minute, providing powerful yet quiet dispersion that envelops even the largest stages in a light, uniform veil of smoke. The adjustable air deflector allows you to precisely adjust the direction of the smoke output to suit the show's needs. Fan speed and smoke volume are independently adjustable, providing total control over the effect.

Full control, wired or wireless.

The BT-TOURFAZER offers three operating modes: standalone in continuous volume mode, standalone in timer mode with configurable intervals and durations, or DMX-controlled via its 3- and 5-pin XLR connectors. Built-in support for wireless DMX is included—simply connect an optional WTR-DMX dongle to free your setup from any DMX cabling constraints. The LCD display and its four buttons allow you to access all settings directly on the unit.

Designed for the road.

The BT-TOURFAZER comes in its own flight case with removable lids featuringPenn-Elcom® butterfly latches, a safety strap for the smoke fluid container, and lockable wheels for safe transport both on stage and in the truck. The 5-liter BT-FOGLIQ5 PRO2 fog fluid container is recommended for optimal performance—a water-based formula that leaves no oily residue, is odorless, non-toxic, and non-flammable, ensuring worry-free use.

Technical specifications :

⚠ Important note:

The BT-TOURFAZER is designed for use on the ground only—hanging or positioning it vertically is not recommended.

Compatible accessories



WTR-DMX DONGLE

B04645



M-DMX TRANSCEIVER II

B05026



EZ-CON 24W

B05023



WTR-DMX TRANSCEIVER IP Mk2

B05041



BT-FOGLIQ5 PRO2

B04774

Photo



Photo



Photo


BT-TOURFAZER
POWER ON/OFF
BREAKER
15 AMP
DMX-512
PUSH
OUTPUT
INPUT
POWER INLET 240Vac 50Hz
POWER: 2200W
Heating Up.. 33%
BT-TourFazer
MENU
TIMER
FOG
ENTER/STOP
BRITEQ
LIGHT RESEARCH
RoHS COMPLIANT
MADE IN CHINA

Photo



Photo


BT-TOURFAZER
POWER ON/OFF
BREAKER
DMX-512
OUTPUT
INPUT
POWER INLET: 240Vac 50Hz
POWER: 2200W
BT-FOGLiq
PRO

Photo



Photo

