



## BT-TVPANEL TW

Professional projector with adjustable white and battery power for TV studios and outdoor applications (IP20)

Référence: B06032

**1450,00 € inc. VAT**



- Professional soft light projector for TV studios and outdoor applications (only in dry conditions).
- Compact but powerful projector: 640 CW/WW LEDs with a total power of 260W
- Variable white between 3000K → 5600K with precise CCT preselection
- Excellent photometric specifications: Ra > 98, TLCI > 99, ...
- A smartly designed aluminum finish for multi-functional use:
  - **PHOTO & TV-STUDIO** : external "click-on" power supply 110V - 240V with V-LOCK
  - **TV, FILM, REPORTER, ...** Use of 1 or 2 optional standard V-LOCK batteries (compatible with 14.8V and 26V)
- Easily interchangeable frost filters + possibility to add additional filter sheets (colored).
- Various optional accessories : 8 sheets flux cutter, manual caliper, intensifier, softbox, ...
- Beam angle of 115°.
- Excellent dimming electronics with 4 dimming curves, dimming speed control.
- Flicker-free dimming to 0% with refresh rates between 900Hz and 25kHz
- Four gradation curves: linear, square, inverse square, S curve
- Easy stand-alone operation: 3 rotary knobs for dimming, CCT presets and continuous CCT adjustment.
- Full DMX control with different control modes and channels.
- Wireless DMX (optional WTR dongle) or wired 3-pin / 5-pin XLR inputs/outputs.
- RDM functionality for remote adjustment and monitoring.
- Very quiet temperature controlled fan cooling.
- Lock function to prevent unwanted changes to the settings.
- Factory default reset + user settings can be saved/loaded.
- 2 x 16-character OLED displays with touch-sensitive buttons for easy configuration.
- A manual studio bracket is available as an option.
- High light output: 19'000 lm
- PowerCON TRUE1 compatible inputs/outputs for easy chaining.

## Caractéristiques

<b>Brand</b>	Briteq
<b>Controllable colours</b>	Cold white, Warm white
<b>Protection class</b>	IP20
<b>Function</b>	Battery (not included)
<b>Protocole</b>	DMX, RDM, Wireless DMX

## Références compatibles



**BT-TVPANEL  
YOKE**

**199,00 € inc.  
VAT**

Réf: B06040



**BT-TVPANEL  
SOFTBOX**

**179,00 € inc.  
VAT**

Réf: B06043



**BT-TVPANEL  
intensifier**

**119,00 € inc.  
VAT**

Réf: B06041



**BT-TVPANEL  
BARNDOOR**

**109,00 € inc.  
VAT**

Réf: B06042



**WTR-DMX  
DONGLE**

**59,00 € inc.  
VAT**

Réf: B04645

## Galerie photos







WITH POWER SUPPLY  
(INCLUDED)




WITH 1 OR 2 V-LOCK BATTERIES  
(OPTIONAL)







LUX (full on)	10040	2510	1116	627	401	279
LUX (3200K)	9828	2457	1092	614	393	273



# BT-TVPANEL TW

- \* CCT: 3200K
- \* CRI/Ra: >97
- \* TLCI: >97
- \* Rf: >95
- \* Rg: >102

