BriTeQ
LIGHT RESEARCH

BTI-AKKUPOLE BLACK

4x 5 W IP64 battery-powered LED lighting column with wireless DMX

Référence: B05185

1490,00 € inc. VAT

- **Elegant design and exceptional autonomy:** ideal for extended events, this mast combines aesthetics and performance.
- **IP64 OUTDOOR resistance:** A major update of our famous BT-AKKUPOLE, designed to withstand the elements, even in the event of an unexpected downpour.
- **Outdoor versatility:** Perfect for lighting buffets, presentation counters, parties and other outdoor events.

Lighting performance

- **4 adjustable LED spotlights:** 5 W each, 25° angle, 3000K temperature with a color rendering index (CRI) of > 90.
- **Robust swivel arm:** adjustable to 6 fixed positions for precise light orientation.
- **Magnetic filter holders included:**
  - **CTO/CTB filters:** Adjust color temperature (e.g. 4000K, 2700K).
  - **Color filters:** Enable a wide range of colors.
  - **Frost filters:** change the angle of the light beam.

Practical and robust

- **Ultra-quick assembly and disassembly:** no tools required for simple, efficient installation.
- **Adjustable height:** Sturdy, stable design, perfect for intensive use in rental businesses.
- **Heavy base (45x37 cm):** Ensures stability even at maximum height.

Interface and control

- **Intuitive user interface:** 3 touch-sensitive buttons with LCD display showing battery life information.
- **Various operating modes :**
  - Integrated wireless DMX receiver with XLR output (W-DMX compatible).
  - Wired DMX control via XLR input/output (1 dimming channel).
  - Manual operation directly on the base.

Autonomy and connectivity

- **High-capacity lithium battery (288 Wh):** up to 14.5 hours autonomy at 100% power.
- **Internal battery charger:** PowerCON TRUE1 IP65-compatible with input/output connectors for mains operation while recharging the battery.
- **XLR compatibility:** waterproof 3-pin connectors replaceable by 5-pin versions.

Options and customization

- **Two elegant finishes:** Available in black and white to suit any environment.
- **Optional professional flight case:** practical transport of 4 complete sets (dimensions: 120 x 60 cm).

Caractéristiques

Brand	Briteq
Protection class	IP64
Protocole	DMX, Wireless DMX
Controllable colours	Warm white
CRI	90
Function	Battery
Finish colour	Black

Références compatibles

BT-XLR3TO5 COMBIKIT **14,90 € inc. VAT** Réf: B05558	**CASE FOR 4xBT-AKKUPOLE** **1150,00 € inc. VAT** Réf: B03297	**BTI-AKKUPOLE 50CM TUBE BLACK** **99,00 € inc. VAT** Réf: B05187		

Galerie photos

BTI-AKKUPOLE

ON /OFF

BriTeQ

INPUT

DMX IN

AC 100V-240V
50/60Hz
PWR: 69W max
PF: 0.96

OUTPUT

DMX OUT

IP64 CE

WWW.BRITEQ-LIGHTING.COM

MADE IN CHINA

Power In

Power Out

151

58

582

2802

2716

2281

300

450

220

450