



BTI-BLIZZARD PROFILE

Référence: B05571

7890,00 € inc. VAT



Powerful, silent 600W IP65 LED lighting system with cutting module, CMY, CTO, IRIS etc.

- BTI-BLIZZARD PROFILE is a powerful IP65 head equipped with a cutting module.
- It is equipped with a 600 W LED light source.
- IP65 protection and silent operation: perfect for both indoor and outdoor use!
- A real all-rounder: BEAM, SPOT, WASH and FRAMING!
- Very high light output: 60,610 lux @5m (7°) - 1713 lux @5m (50°).
- Perfect for: concerts, events, theme parks, theaters (outdoor),...
- Wide-range 16-bit electronic zoom, from 7° to 50°, with 16-bit motorized (auto)focus. - 16-bit adjustable iris: 5 → 100%
- Complete framing module with 4 individually controlled blades and +/-60° rotation.
- CMY color system, with several color macros.
- Graduated CTO: 2700K → 6800K
- 6+1 fixed colors, including UV.
- 7 +1 replaceable rotating gobos with fine indexing.
- 10+1 static glass gobos for gobo superposition.
- Non-stop rotating animation wheel with indexing.
- Bi-rotating 4-facet prism.
- 2 gradual frost filters: 1 light + 1 medium.
- Precise strobe with integrated random, pulsed and burst effects.
- Smooth 16-bit dimmer with fast and slow dimming modes.
- Four gradation curves: linear, square, inverted square, S-curve.
- Fast 16-bit pan/tilt movements with position correction and pan/tilt speed channel.
- Super-quiet fan mode for theater applications.
- Uses 35, 41 or 44 DMX channels + RDM function for easy remote configuration.
- Full support for Art-Net™ and sACN!
- Internal web server for additional remote configuration.
- The LCD matrix display ensures easy navigation through the various configuration menus.
- 5-pin DMX I/O + RJ45 I/O + powerCON TRUE1 compatible.
- DMX inputs/outputs compatible with BT-XLR5TO3 kit.
- Equipped with omega brackets for quick installation.
- Dimensions: 42 x 36 x 73 cm
- Weight: 34 kg

Caractéristiques

Brand	Briteq
Protection class	IP65
Function	10 static gobos, 6 colors, 7 rotating gobos, CTO (2700 k to 6800 k), Iris, Linear frost effect, Motorized focus, Motorized frost effect, Motorized zoom, Prime bi-rotary 4 facets
Protocole	Art-Net, DMX, RDM, sACN, Wireless DMX
Lux	1713 lux (50°) at 5 m, 60610 lux (7°) at 5 m
Power	600 W

Type de lampe	LED
Family	BTI

Accessoires recommandés



BT-XLR5TO3 KIT

11,90 € inc. VAT
Réf: B05517



MOVING HEAD CASE 10

790,00 € inc. VAT
Réf: B03313



OMEGA BRACKET BIG

9,90 € inc. VAT
Réf: B02678



BTI-BLIZZARD W- DMX MODULE

169,00 € inc. VAT
Réf: B05566





BTI-BLIZZARD BSW2

5790,00 € inc. VAT
Réf: B05568

Galerie photos







 **hitmusic**
Fabrique sensorielle

www.hitmusic.eu/en/