





# **BTI-CYCLO**

Powerful IP65 LED cyclo-color - Can be used for background and foreground lighting on indoor and outdoor stages

Référence: B06051

890,00 € inc. VAT



#### Features:

- 83° x 51° beam angle (HxV)
- Illumination up to 3 m high at a distance of 1 m
- Illumination up to 6 m high at a distance of 2 m

#### Application:

- Can be mounted on the ceiling for downlighting
- Perfect as floor lighting on indoor/outdoor theater stages

#### Color and white:

- Perfect WHITE with high CRI > 95 Ra and CCT presets
- Rich color selection with color presets
- CCS color calibration system to eliminate color differences between batches

#### Design and operation:

- Based on a cluster of 160-watt, 6-color RGBALC LEDs
- Silent operation thanks to passive cooling: NO fans present

#### Control and flexibility:

- Can be used in stand-alone mode without requiring DMX
- DMX-controlled: 6 different channel modes for maximum flexibility
- RDM functionality for easy remote configuration
- Flicker-free TV recordings thanks to adjustable LED refresh rate

#### Settings and control:

- Two dimming settings with different behavior and speed
- Manual control of dimming, color, CCT and beamwidth
- OLED display for easy navigation in the settings menu

#### Safety and connection:

- In the event of a DMX outage, you can choose between blackout and freeze mode
- Locking function to prevent unwanted parameter changes
- · Lightweight but very robust housing
- TRUE1 powerCON-compatible inputs/outputs for easy daisy-chaining Options and accessories:
- Thanks to a special conversion kit, 5-pin DMX inputs/outputs can be easily converted to 3-pin XLR.

### Caractéristiques



Brand	Briteq
Controllable colours	RGBALC, White presets (CCT)
Protection class	IP65
Function	Manual zoom
Protocole	DMX, RDM
Lux	56 (83° x 51°) at 5 m
Type de lampe	LED
Family	ВТІ



## Références compatibles



BT-XLR5TO3 KIT 11,90 € inc. VAT

Réf: B05517



BT-PROFILE HD 990,00 € inc. VAT

Réf: B06044



**1069,00 € inc. VAT**Réf: B06035

BrileQ.

## **Galerie photos**























































