

SECURITY



BTI-IPTEST

Part no. B09904 EAN 5420025699044

BTI-IPTEST - IP Lighting Fixture Leak Tester.

Waterproof tester designed for IP-certified luminaires, compatible with IP65 to IP68 standards, featuring 8 GB internal memory and USB-C connection for data export and software update. Operates on 100-240 V mains, features an LCD display and includes a rugged carrying case.



PRODUCT PAGE ONLINE

briteq-lighting.com/bti-iptest

Manuals, compatible accessories and updates — scan the code or click the address.

[User manual \(PDF\)](#)

Technical specifications

	Compatible with IP65, IP66, IP67, IP68
Test range	±45 kPa (positive/negative pressure)
Standard test	~1 minute
	Standard M12 valve
Memory	8 GB + USB-C export
	LCD screen + internal clock
Power supply	100-240 V, 50 Hz, 40 W
Dimensions	37 x 27 x 20 cm / 5.3 kg
	Carrying case + coiled hose + powerCON TRUE1 cable

Overview

BTI-IPTEST - IP Lighting Fixture Leak Tester.

Ensure your floodlights remain IP-compliant after every service call with this professional leak tester. Designed to verify the watertightness of IP65- to IP68-certified luminaires after they have been opened for maintenance or repair, it detects leaks by creating a controlled pressure of up to ± 45 kPa above or below atmospheric pressure.

Fast and efficient, the standard test takes about 1 minute. The device connects directly to the standard M12 air pressure valve fitted to most IP floodlights on the market, via the spiral hose supplied. Variable time windows enable the duration to be adapted as required (15 to 30 seconds recommended).

All measurements are automatically saved to the 8 GB internal memory and can be exported via USB-C for traceability and customer documentation. The LCD screen clearly displays results in real time (pressure, stabilization, leaks). The embedded software can be upgraded via USB-C.

Supplied in a rugged carrying case for on-site use.

Specifications:

Compatible accessories



**BTI-LIGHTSTRIKE
IP66**
B04719



BTI-BLIZZARD BSW2
B05568



BTI-CYCLO
B06051



**BTI-BLIZZARD
PROFILE**
B05571



BTI-BEAMBAR18
B05576



**BTI-BLIZZARD
WASH1**
B05579



BTI-BLINDER1 FX
B05193



BTI-BLIZZARD BSW1
B05583



BTI-TRUSSLITE
B05189



BTI-AKKUCHROMA
B05192



BTI-AKKUBEAMER
B05184



**BTI-BLIZZARD
WASH2**
B05586

Photo



Photo



Photo

