



## CAM-LITE 200

Economical lighting panel for livestreaming and small studio lighting

Référence: B06033

**399,00 € inc. VAT**



- Economical lighting panel for livestreaming and small studio lighting.
- Compact but powerful: 2400 CW / WW 0.2W LED with a total power of 210W.
- Tunable white 3000 K -> 6300 K
- 4-leaf barn door included.
- 110° beam angle
- Flicker-free dimming with refresh rates from 800 Hz to 25 kHz.
- Four gradation curves: linear, square, inverse square, S curve.
- Easy stand-alone operation: 2 rotary knobs for dimming and color temperature adjustment.
- Full DMX control with 2 modes.
- Wireless DMX (WTR-dongle optional) or wired 3pin XLR inputs/outputs.
- Natural convection cooling (no noisy fans).
- Rubber feet at the back for use as a light projector.
- Color LCD screen.
- I/O compatible with powerCON for easy linking.

## Caractéristiques

|                             |                        |
|-----------------------------|------------------------|
| <b>Brand</b>                | JB Systems             |
| <b>Controllable colours</b> | Cold white, Warm white |
| <b>Protection class</b>     | IP20                   |
| <b>Protocole</b>            | DMX, Wireless DMX      |

## Références compatibles



**FIRMWARE  
UPDATER**

**49,00 € inc.  
VAT**

Réf: B04319



**CAM-SPOT 50TW**

**259,00 € inc.  
VAT**

Réf: B06048

## Galerie photos







