DANTE NETWORK

DBT-04

Part no. B08205 EAN 5420025682053

› High-quality analog / DANTE® audio network interface for live performance applications with 4 analog outputs



PRODUCT PAGE ONLINE

synq-audio.com/dbt-04

Manuals, compatible accessories and updates — scan the code or click the address.

Technical specifications

- Power Options:
- powerCON TRUE1 : 100-240Vac 50/60Hz
- PoE : Power over Ethernet (PoE class 0)
- HOUSING : ½ 19" die-cast housing with various installation options:
- 1 unit fits in a 1U 19" rack (19" adapter optional)
- 2 units can be installed together in a 1U 19" rack (adapters included)
- Easy wall mounting with optional wall adapter
- Easy truss mounting with optional truss mounting adapter

Overview

High quality analog/networked Dante audio interface for concerts.

Converts DANTE® network audio to 4 high quality balanced analog outputs

GIGABIT Ethernet input/output using a Marvell high-speed switch (no link delay).

Integrated DSP AUDIO PROCESSING (parametric equalizers, compressors, delays, ...) on all channels: perfect for use as a DANTE speaker management processor, but also usable in many other applications.

8x8 AUDIO MATRIX for local premixing, flexible routing, ...

Integrated WEB SERVER: Fully graphical and very intuitive user interface for easy configuration and control of the DSP on any network device!

The included "SYNQ Network Discovery Tool" software makes it very easy to find the device(s) on a local network and open them on any desktop computer, without knowing the IP address.

OSC protocol support: all functions can be controlled by user-created apps running on iPhones, Android smartphones, tablets and desktop computers.

Extremely high audio quality: S/N > 120dB ~ THD: < 0.003%

Fully equipped with high quality Neutrik® XLR and EtherCON connectors.

Complies with the IEEE 802.3-2005 standard for information technology.

Extreme reliability, thanks to the exclusive use of industrial quality components, such as: high-end Burr Brown audio DACs, Wurth electrolytic capacitors, etc.

Compatible accessories



BUMP PROTECTOR SET

B08207



WALL MOUNT SET

B08209

Photo


POWER IN 12Watt
100-240Vac
MADE IN EU
Dante
PORT 1 (PoE)
PORT 2
SYNQ
AUDIO RESEARCH
DBT-04 I/O INTERFACE
WWW.SYNQ-AUDIO.COM

Photo


POWER IN 12Watt
100-240Vac
MADE IN EU
Dante®
PORT 1 (PoE)
PUSH
PORT 2
PUSH
SYNQ
AUDIO RESEARCH
DBT-04 I/O INTERFACE
WWW.SYNQ-AUDIO.COM

Photo


SIG / CLIP
SIG / CLIP
SIG / CLIP
OUTPUT 1
OUTPUT 2
OUTPUT 3
OUTPUT 4
POWER
SYNQ
AUDIO RESEARCH
DBT-04 I/O INTERFACE
WWW.SYNQ-AUDIO.COM

Photo


LAPTOP NOT INCLUDED
Input
Output
EQ
Compressor
EQ preset:
Electric guitar
Close
CONNECTED
Frequency
Gain
Q
Reset EQ
Enable EQ
On
Guitar
Vocal
Drum
Keyboard
CD_L
CD_R
DANTE IN3
DANTE IN4
Recording_L