



DLP-48W

Professional digital speaker management processor

Référence: B08212

669,00 € inc. VAT



- 4 inputs (AES DIGITAL + analog) and 8 analog outputs with full matrix routing capability
- Direct access to 3 programmable default parameters
- The 4 entries have :
 - An 8-band equalizer (parametric, high shelf, low shelf)
 - Delay (adjustable up to 1000 ms [= 346 m])
 - Noisegate
 - Phase reversal
 - Gain / mute
- The 8 outings all have :
 - Flexible source selection
 - Crossover (Linkwitz/Riley, Bessel, Butterworth)
 - 6-band equalizer (parametric, high shelf, low shelf)
 - Delay (adjustable up to 1000 ms [= 346 m])
 - Limiter
 - Phase reversal
 - Gain / mute
- 30 different speaker configurations can be stored in the memory.
- If necessary, the unit can be locked with a password.
- Easy setup via PC:
 - Via USB: easy configuration but cable length limited to 5 m
 - Via LAN: long distance control for max. 250 units.
 - Via WiFi: wireless control
- Full Windows® software included with easy and visually appealing configuration capabilities.
- Clear LCD screen. XLR balanced inputs/outputs

Caractéristiques

Brand	Synq
Function	Ethernet, Software, USB, Wi-Fi

Galerie photos







