



DZ-CTL

DZ-MATRIX input and output volume control box LCD display to view levels and routing

Référence: H11398

179,00 € inc. VAT



Pump up the volume.

The box allows you to select a source and adjust its volume on a previously chosen output. As for its display, it allows you to choose the channel you want to select and then to adjust its volume.

The control box is connected to digital channels 9/10, 11/12 of the matrix*.

DZ-CTL has a RD output on the back to connect other DZ-CTL.

The DZ-MATRIX Setting Software allows you to

- The name of the box can be changed with the DZ-MATRIX setting software
- The software allows to give access to the sources and outputs in order to limit the settings for the end user
- Password lock and adjustable screen saver

**Use CAT5e or CAT6 cable with a maximum length of 100 m.*

Features:

LCD display

Volume control: $-\infty \sim +15$ dB

Ports

RD to DZ-MATRIX network, RJ45, maximum 100 m CAT 5E cable (or higher)

RD LINK network, RJ45, maximum 100 m CAT 5E cable (or higher)


Dimensions

W x H x D: 147 x 86 x 47 mm

Caractéristiques

Brand	Audiophony PA
Finish colour	White

Références compatibles

 <p>DZ-MATRIX 1299,00 € inc. VAT Réf: H11393</p>				
--	--	--	--	--

Galerie photos



