SCENOGRAPHY PROJECTORS

CANNON EXPO

Part no. B05133 EAN 5420025651332

- High-power spotlight (37 x 10 W CREE LED 6500 K) for large showrooms
- Car shows and exhibition stands



PRODUCT PAGE ONLINE

briteq-lighting.com/expo-cannon

Manuals, compatible accessories and updates — scan the code or click the address.

Technical specifications

Dimensions	**366 × 348 × 317 mm**
Net weight	**8.5 kg**
Power consumption	**380 W**
Power supply	**AC 100 - 240 V, 50 / 60 Hz**
Colour	**Black**
Display	**OLED**
Mounting type	**Omega bracket (optional)**
Lamp type	**LED**
Controllable colours	**CLA, Cold white**
CRI	**85**
Protocol	**DMX, RDM**
Function	**Autonomous, DMX, Manual, Master / Slave**
Protection class	**IP20**
Colour temperature	**6,400 – 6,600 K**
Beam angle (°)	**20°**
No. of DMX channels	**1 to 2**
Connections	**Input: 3-pin XLR, RDM, powerCON / Output: 3-pin XLR, powerCON**

Photo




Photo



Photo


WWW.BRITEQ-LIGHTING.COM
MENU ENTER
BRITEQ
EXPO CANNON
POWER IN
POWER OUT
DMX IN
DMX OUT
T 4A / 250V

Photo


LUX (full on) 47916 26953 17250 11979 6738 4312
EXPO CANNON
BEAM: 20°
DISTANCE (m) 3 4 5 6 8 10
BEAM Ø (cm) 106 141 176 212 282 353