



## EXTLine134B

IP56 4 x 4" + 1" floor-standing column - 130 W RMS - 100 V/ 8 ohms - Robust, weather-resistant, all-aluminum column - High-quality components for a highly musical sound - Operates on 100 V or 8 ohms

Référence: H11617

**529,00 € inc. VAT**



- Operates at 100 V or 8 ohms
- Power: 130 W RMS at 8 ohms 30/60/120 W at 100 V
- Components: 4 x 4" Kevlar waterproof drivers and 1 x 1" compression driver
- Dispersion (-6 dB): 100° x 50° (HxV)
- Sensitivity (1 W/1 m): 94 dB
- Frequency response: 120 - 18,000 Hz
- SPL: 115 dB continuous, 121 dB max.
- Connectors: connectors with cable glands
- Aluminum body with aluminum grille and acoustic foam
- ABS body with aluminum grille and acoustic foam
- Silicone plugs and stainless steel screws
- Foam and textile protection against dust and splashes
- Degree of protection: IP56 (protection against dust and rain)
- Dimensions: 704 x 127 x 144 mm
- Net weight: 9 kg

*SPL (significant values)*

- 1 m : 121 dB
- 5 m : 107 dB
- 7 m : 104 dB
- 10 m : 101 dB
- 15 m : 97 dB
- 20 m : 95 dB
- 30 m : 91 dB

## Caractéristiques

<b>Brand</b>	Audiophony PA
<b>Finish colour</b>	Black
<b>Impedance</b>	8 Ω
<b>Voltage</b>	100 V
<b>Model size</b>	4"
<b>Power</b>	30 W, 60 W, 120 W, 130 W
<b>Protection class</b>	IP56
<b>SPL max (@1m)</b>	121 dB
<b>Family</b>	EXT

## Références compatibles



**SUPlineB**

**35,00 € inc.  
VAT**

Réf: H11619



**FIXlineB**

**28,00 € inc.  
VAT**

Réf: H11621

## Galerie photos





