

## IPANEL24X10QC

1299,00 € inc. VAT

24 LED 10W QC IP65 floodlight with pixel function



SKU: H10794

Categories: [Architectural spotlights](#)

EAN13 : 3662009018607

brand Contest

**Optics** - LEDs: 24 x 10W four-color RGBW LEDs

### Luminosity

- 3133 Lux at 3m
- 1083 Lux at 5m Double structured lenses for perfect beam distribution
- 31° aperture angle

### Features

- Integrated control box with drop-down display for :
- Choice of DMX address - Choice of number of channels: 2, 4, 6, 8, 16, 18 or 20
- Choice of presets and built-in shows
- Choice of dimmer curves - Master/Slave mode
- Manual mode - User program to create your own programs

### Connections

- DMX IN and OUT via 3-pin XLR molded plugs
- POWER IN/OUT via 3-pin molded plugs

### Features

- Power supply: 100-240V/50-60Hz
- Consumption: 240 W
- Ventilation: convection
- Finishes: black-painted cast aluminum
- Watertight diaphragm depressurization valve

- Dimensions: 582 x 270 x 178 mm - Weight: 15 kg

#### **Package contents**

The package should contain the following items:

- Projector - User's guide
- Power cord with molded IP65 / 2-pin + ground plugs (1.80 m)
- Cord with molded / XLR male plugs (1.00 m)
- Cord with molded / XLR female plugs (1.00 m)

#### **Compatible DMX and power cords**

- BRITEQ: POWERLINK CABLE 1,5m - 04911
- BRITEQ: SIGNAL LINK CABLE 1,5M - 04908
- BRITEQ: POWERLINK CABLE 5M - 04324
- BRITEQ: SIGNAL LINK CABLE 5M - 04903
- BRITEQ: POWERLINK CABLE 10m - 04913
- BRITEQ: SIGNAL LINK CABLE 10M - 04904

#### **Instruction manuals**

- French version : [IPANEL24x10QC\\_manual-web-en.pdf](#)

## INFORMATIONS COMPLÉMENTAIRES

<b>Brand</b>	Contest
<b>Controllable colours</b>	RGBW
<b>Protection class</b>	IP65
<b>Protocole</b>	DMX

## GALERIE D'IMAGES



