



IpBox-P6



Référence: H11592

15,90 € inc. VAT



IP68 waterproof box - Large - 6 channels. For 4 to 14 mm cable

To compensate for a lack of line power or a voltage drop due to a long cable length, you need to be able to boost the power supply. To do this, use a junction box to separate the DMX output from the hybrid cable at the end of the line, and isolate the power supply. A new mains supply can then be injected into one or more chains of projectors on hybrid connectors at the box outlet, as shown in the figure below.



**Booster power IN
16 A (3500W maxi)**

Caractéristiques

Brand	Hilec
Protection class	IP68

Accessoires recommandés



FastCon-1333DMX

36,00 € inc. VAT
Réf: H11601



FastCon-1333POW

36,00 € inc. VAT
Réf: H11600



VC-END1

35,00 € inc. VAT
Réf: H11536



VC-END3

55,00 € inc. VAT
Réf: H11537



VC-REEL50HYB

999,00 € inc. VAT
Réf: H11544



VC-START1


32,00 € inc. VAT
Réf: H11534



VC-START3

55,00 € inc. VAT
Réf: H11535

Galerie photos



x 6
M25
4 - 8 mm


x 6
M25
8 - 12 mm

x 6
M25
10 - 14 mm



x 2
End plug (bouchon d'extrémité)
4 - 8 mm

IpBox-L4



www.hitmusic.eu/en/