



## IpBox-P6



IP68 waterproof box - Large - 6 channels. For 4 to 14 mm cable

Référence: H11592

**15,90 € inc. VAT**



To compensate for a lack of line power or a voltage drop due to a long cable length, you need to be able to boost the power supply. To do this, use a junction box to separate the DMX output from the hybrid cable at the end of the line, and isolate the power supply. A new mains supply can then be injected into one or more chains of projectors on hybrid connectors at the box outlet, as shown in the figure below.



**Booster power IN  
16 A (3500W maxi)**

## Caractéristiques

<b>Brand</b>	Hilec
<b>Protection class</b>	IP68

## Références compatibles



**FastCon-  
1333DMX**

**36,00 € inc.  
VAT**

Réf: H11601



**FastCon-  
1333POW**

**36,00 € inc.  
VAT**

Réf: H11600



**VC-END1**

**35,00 € inc.  
VAT**

Réf: H11536



**VC-END3**

**55,00 € inc.  
VAT**

Réf: H11537



**VC-REEL50HYB**

**999,00 € inc.  
VAT**

Réf: H11544



**VC-START1**

**32,00 € inc.  
VAT**

Réf: H11534



**VC-START3**

**55,00 € inc.  
VAT**

Réf: H11535

## Galerie photos





x 6  
M25  
4 - 8 mm



x 6  
M25  
8 - 12 mm



x 6  
M25  
10 - 14 mm



x 2  
End plug (bouchon d'extrémité)  
4 - 8 mm



# IpBox-L4

