

LED DMX-CONTROL SCREW

Highly versatile LED DMX controller for all kinds of passive 12VDC/24VDC LED floodlights such as LED strip lights, prepared for wireless DMX (dongle)



SKU: B05399 Categories: <u>DMX Drivers</u>

brand JB Systems

- Very versatile LED DMX controller for all kinds of passive 12VDC/24VDC LED floodlights such as LED strip lights.
- It can be used with RGB and single color LED strip lights.
- PWM technology for uniform, flicker-free intensity variation from 0 to 100%.
- Simple electrical installation: the unit is equipped with DMX input/output and LED light output via terminal block.
- Prepared for wireless DMX: just connect a DONGLE WTR-DMX! (optional, Briteq® code 4645)
- Max. output power 60 W/channel = 180 W at 12 VDC or 120 W/channel = 360 W at 24 VDC
- The output power of LED lights can always be increased by using our LED REPEATER amplifiers.
- All functions are controllable:
 - Directly on the controller (DIP switches)
 - Using a LEDCON-02 Mk2 controller (also in sound mode)
 - Using any standard DMX controller.
 - An optional wireless DMX dongle (WTR-DMX DONGLE)
- Different modes of autonomous operation:
 - $\circ~$ Fixed color mode: instant access to 7 pre-programmed colors.
 - Automatic chase mode: 7 colored chases at 7 different speeds.
 - Progressive chase mode: 7 progressive chases at 7 different speeds.
- 4 DMX channels are required: channel 1 = red, channel 2 = green, channel 3 = blue, channel 4 = dimmer/strobe.
- The box is designed for single wall installation.
- It is suitable for home LED installations, stores, etc.
- No cooling fan: completely silent!


INFORMATIONS COMPLÉMENTAIRES

Brand

JB Systems

GALERIE D'IMAGES





INDEPENDENT CONTROL OF 3pcs ONE-COLOR STRIPS

(i):		12Vdc/24Vdg	POWER 110~230Vac SUPPLY
	M.=0000		SUFFLI
	LED DMX-CONTROL SCREW Has		24V: 120Wmax 2 0 00
	JB5YSTEM5		☐ 12V: 60Wmax / ☐ ⊕• 724V: 120Wmax / □ ⊕•
	DMX CONTROL		24V: 120Wmax / 00