

## HIT MUSIC - Fabricant et distributeur en son & lumières

www.hitmusic.eu/en/



# MOJO2200curve

**Référence:** H11175 **1299,00 € inc. VAT** 



Active system - 1000 W RMS with DSP and Bluetooth TWS. Optional dust cover

The MOJO2200curve uses a curve array architecture that provides optimized, controlled diffusion for sound pressure levels of 128dB SPL. With a total of 12 speakers, the satellite has been specially designed to achieve an effective opening of 100° horizontal and 70° vertical.

#### A powerful DSP.

Bass is provided by a powerful 12" woofer mounted in a bass-reflex cabinet.

The latter houses class-D amplification with full protection, a 4-input mixer with Bluetooth® TWS and a powerful DSP offering the possibility of adjusting the sound to your personal taste. **Feel the power with Bluetooth® TWS.** 

Send music from your cell phone to the MOJO2200curve Bluetooth® module.

Thanks to "True Wireless Stereo" technology, it transmits the audio signal to a second MOJO, so you can enjoy stereo mode!

#### Pneumatic coupling bar.

Installation is simplified thanks to the pneumatic coupling bar, which allows effortless height adjustment and also provides the wired connection between the amplifier and the satellite.

Minimum height: 177 cm

Maximum height: 210 cm **Column**- Power: 300W RMS - 600W max
- Nominal impedance: 6 Ohms
- Boomer: 3 x 5-inch neodynium

- Tweeter: 9 x 1-inch

Dispersion: 120° x 70° (HxV)
Connector: Insert in cabinet
Dimensions: 188 x 517 x 243 mm

- Net weight: 8 kg

#### **Cabinet**

- Power: 500W RMS -1000W max - Nominal impedance: 4 Ohms

- Boomer: 1 x 12 inches

- Dimensions: 366 x 625 x 541 mm

- Net weight: 27 kg **Set** 

- Frequency response 38 - 18,000Hz

- SPL max.

(@1m) 128 dB

#### **Amplification**

- Bass stage: 1 x 700W RMS / 1400W Max under 6 Ohms
- Mid/high stage 1 x 300W RMS / 600W Max under 4 Ohms Inputs:
- CH1: 1 x Combo XLR/Line jack/Micro
- CH2: 1 x XLR/line jack/mic combo
- CH3: 1 x line jack
- CH4/5: 1 x RCA L/R line + Bluetooth® input Input impedances
- Microphones 1 & 2: Balanced 40 KHoms
- Line 1 & 2: Balanced 10 KHoms
- Line 3: Balanced 20 KHoms
- Line 4 & 5: Unbalanced 5 KHoms Outputs:
- 1 Insert on top of cabinet for stellite
- 1 x XLR MIX OUT balanced for output to another system

- 2 x XLR LINE OUT balanced for CH1 and 2 repique.
- DSP
- 24 bit (1 in 2 out)
- EQ / Presets / low cut / Delay / Bluetooth  $\mbox{\ensuremath{\mathbb{R}}}$  TWS Level control on each channel + Master
- Subwoofer level control

### Caractéristiques

Brand	Audiophony
SPL max (@1m)	128 dB
Power	800 W rms
Model size	12"
Function	Bluetooth, Bluetooth TWS, DSP
Family	мојо

## **Galerie photos**













www.hitmusic.eu/en/