

PUBLIC ADDRESS, NEXUS TABLETS



Nexus 8

Part no. H11890 EAN 3662009029634

A professional wall-mounted tablet compatible with all applications.

› 8-inch Android Touchscreen Control Panel —
PoE — Wi-Fi — 32 GB



PRODUCT PAGE ONLINE

audiophony-pa.com/ami/nexus/nexus8.html

Manuals, compatible accessories and updates — scan the code or click the address.

[User manual \(PDF\)](#)

Technical specifications

CPU	RK3576 64-bit octa-core (4×A72 + 4×A53) — 2.1 GHz
Operating System	Android 14
RAM	4 GB
Storage	32 GB
Screen	8-inch capacitive — 800×1280 — 500 nits
Wi-Fi	6 dual-band 2.4 / 5 GHz
Bluetooth	5.4
Ethernet	10/100 Mbps
RS485	Yes
USB-C	Yes
Microphone	built-in
Power	IEEE 802.3af PoE (13 W) or 12 V DC, 2 A
Installation	Recessed wall-mounted
Dimensions	200 × 125 × 33 mm
Mounting dimensions	73 × 49 × 35.3 mm
	Discover →

Overview

A professional wall-mounted tablet compatible with all applications.

The Nexus8 is an 8-inch Android touchscreen control panel with a sleek metal casing, designed for flush-mount installation on walls in any professional environment. Powered by PoE or 12 V DC via a single network cable, it can be installed without the need for AC wiring. Its 800×1280 capacitive touchscreen with 500 nits of brightness remains perfectly readable in all lighting conditions.

An open Android device, for all uses.

Running Android 14 with its RK3576 octa-core processor, the Nexus 8 provides access to the Play Store and all available apps: music streaming with Spotify, web radio, or local file playback; lighting control with Sweetlight or similar apps; home automation; room management... Every installation becomes a customized experience, tailored to the site's actual needs.

The ultimate Ami control panel.

With AmiControl preinstalled, the Nexus8 instantly becomes the wall-mounted control panel for your Ami system. The installer customizes the interface to match the customer's branding—logo, wallpaper, and layout of faders and buttons—for a fully personalized user experience. Dual-band Wi-Fi 6, Bluetooth 5.4, RS485, and Ethernet round out a seamless connectivity ecosystem.

Technical Specifications.

Compatible accessories



Ami04
H11872



Ami04D
H11873



Ami08
H11874



Ami08D
H11875



Ami16
H11876



Ami16D
H11877



PoE10-250
H11913

Photo

