



ONDE540W

5" + 1" speaker + Bass radiator 40 W 100 V and 8 Ohms - IP65 - Robust ABS construction - Works with 100 V or 8 Ohms - IP65 splashproof, head down - Delivered with a hanging lyre - Rear bass reinforcement membrane

Référence: H11569

159,00 € inc. VAT



- Power: 40 W RMS - 80 W max into 8 Ohms
2.5/5/10/20 W at 100 V per selector switch
- Boomer: 5-inch graphite
- 1 inch silk dome motor
- Rear bass reinforcement membrane
- Frequency response 100 - 20,000Hz
- SPL (@1m) 98 dB max
- Dispersion: 90 x 80° HxV
- Connectors: Euroblock
- ABS construction
- Dimensions: 270 x 170 x 168 mm
- Net weight: 3 kg

Caractéristiques

Brand	Audiophony PA
Finish colour	White
Impedance	8 Ω
Voltage	100 V
Power	2,5 W, 5 W, 10 W, 20 W, 40 W
Protection class	IP65
SPL max (@1m)	98 dB
Family	Wave
Model size	5

Références compatibles



ONDE660W

189,00 € inc.

VAT

Réf: H11369



ONDE880W

269,00 € inc.

VAT

Réf: H11370

Galerie photos





