PUBLIC ADDRESS, WALL-MOUNTED SPEAKERS

ONDE660W

Part no. H11369 EAN 3662009024714

- 6.5" + 1" + Bass radiator 60 W 100 V and 8 Ohms - IP65
- - Sturdy ABS construction
- - 100 V or 8 Ohms operation
- - IP65 splash-proof
- - Supplied with hanging loop
- - Rear bass reinforcement membrane



PRODUCT PAGE ONLINE

audiophony-pa.com/en/product/onde660w

Manuals, compatible accessories and updates — scan the code or click the address.

Technical specifications

Power	**60W RMS - 120W max at 8 Ohms**
	5/10/20/40W at 100V via selector switch
Woofer	**6.5-inch graphite cone**
	1-inch silk dome tweeter
	Rear bass reinforcement diaphragm
Frequency response	**90–20,000 Hz**
SPL (@1m)	**102 dB max**
Dispersion	**90x80° HxV**
Connectors	**Euroblock**
	ABS construction
Dimensions	**285x200x195 mm**
Net weight	**3.5 kg**

Compatible accessories



ONDE540W

H11569



AMP150.1H

H11631



AMP300.1H

H11632



AMP500.1H

H11633



WEBAMP 200

B08215



AMP150.4H

H11848



AMP300.4H

H11849



AMP150.8H

H11851



AMP500.4H

H11850

Photo



Photo



Photo

