PUBLIC ADDRESS, WALL-MOUNTED SPEAKERS

ONDE880B

Part no. H11372 EAN 3662009024745

- Speaker 8″ + 1″ + Bass radiator 80 W 100 V and 8 Ohms - IP65
- - Robust ABS construction
- - Operates on 100V or 8 Ohms
- - IP65 splash-proof head down
- - Supplied with hanging loop
- - Rear bass reinforcement diaphragm



PRODUCT PAGE ONLINE

audiophony-pa.com/en/product/onde880b

Manuals, compatible accessories and updates — scan the code or click the address.

Technical specifications

Power	**80 W RMS – 160 W max at 8 ohms; 6.25/12.5/25/50 W at 100 V via selector switch**
Woofer	**8" graphite cone**
	1-inch silk dome tweeter
	Rear bass reinforcement diaphragm
Frequency response	**70–20,000 Hz**
SPL (@1m)	**105 dB max**
Coverage	**90 x 80° HxV**
Connectors	**Euroblock**
Dimensions	**382 x 262 x 240 mm**
Net weight	**4.5 kg**

Overview

Sturdy ABS construction

Operates at 100V or 8 Ohms

IP65 splash-proof, head-down

Supplied with suspension loop

Rear bass reinforcement membrane

Compatible accessories



ONDE540B
H11568



AMP150.1H
H11631



AMP300.1H
H11632



AMP500.1H
H11633



AMP4300
H11756



WEBAMP 200
B08215



AMP4600
H11847



AMP150.4H
H11848



AMP300.4H
H11849



AMP150.8H
H11851



AMP500.4H
H11850

Photo



Photo

