

SPEAKERS FOR PARKS AND GARDENS



PARK100

Part no. H11766 EAN 3662009028415

Built to stay outside.

Discreet IP66 outdoor loudspeaker for 100 V lines or 8 Ω amplifiers. ABS body, IP66 watertight cable gland, 360° dispersion, switchable 15 / 30 / 60 W. Leaf-green finish.



PRODUCT PAGE ONLINE

audiophony-pa.com/en/product/park100

Manuals, compatible accessories and updates — scan the code or click the address.

[User manual \(PDF\)](#)

Technical specifications

Power	15 / 30 / 60 W on 100 V, or 60 W at 8 Ω
Drivers	1 $\times$ 5.25" + 1 $\times$ 0.8"
Sensitivity (1 W / 1 m)	86 dB
Max SPL	103 dB continuous, 109 dB peak
Frequency response	70 - 15,000 Hz (-3 dB)
Dispersion	360° $\times$ 90° (-6 dB), crossover at 3.2 kHz
Construction	green ABS, IP66 protection rating
Mounting	screw-on brackets · IP66 watertight cable gland
Dimensions	314 mm diameter $\times$ 403 mm high — 7.5 kg

Overview

Built to stay outside.

The PARK100 uses a reinforced ABS body rated IP66 — a step above the IP55 usually found on this kind of product. Heavy rain, snow, prolonged sunlight or salt air: the protection is designed for permanent outdoor installation. The watertight cable gland keeps the connection safe in bad weather, and the leaf-green finish disappears into a park or garden.

Genuine 360° coverage.

A 5.25" woofer paired with a 0.8" tweeter delivers a detailed sound with truly 360° horizontal dispersion: no dead zones, even coverage over large areas. Peak level reaches 109 dB SPL, which is considerable for a cabinet this size. Gardens, parks, restaurant terraces, public spaces — anywhere audio quality matters as much as weather resistance.

One loudspeaker, every installation.

On a 100 V line, several units daisy-chain over long distances from a single amplifier, each set independently to 15, 30 or 60 W — ideal for a restaurant with several terraces, a hotel, a campsite or a public park. In direct 8 Ω mode (60 W) it connects like any low-impedance speaker, for a private garden or a small terrace. Screw-on brackets hold it steady on any surface.

Key specifications:

Compatible accessories



STONE45
H10967



AMP4120MKII
H11070



AMP120
H9903



AMP660
H11367



MEP/ASY
H8103



MEP-2150
H8105



MEP-2200
H8106



PROHP-215
H8107



PROHP-425
H8109



PROHP-440
H8110



AMP150.1H
H11631




AMP300.1H
H11632

Photo



Photo



Photo



Photo



Photo

