


## PLTS-1X0.5

275,00 € inc. VAT

Platform 1 x 0,5 m anti-slip 750 kg/m<sup>2</sup>.

Delivered without feet



---

SKU: H10602

Categories: [Platforms for STAGE platforms](#)

EAN13 : 3662009016764

brand ConteStage

## PLATFORMS STAGE

Thanks to their structure, the platforms can be used both indoors and outdoors. The top of the platform is made of water-resistant plywood with a non-slip coating.

Compatible with 3 types of feet

The platforms can be supported by round, square or telescopic legs that allow for smooth and precise height adjustment. The rubber feet of the platforms ensure stability.

## Characteristics of PLTS-1x0.5

<b>Material</b>	Frame: Aluminum Top: 12 mm plywood with anti-slip coating
<b>Dimensions</b>	1 m x 0.5 m
<b>Thickness</b>	90 mm
<b>Distributed load eligible</b>	750 kg/m <sup>2</sup> .
<b>Finish</b>	Aluminum / Black
<b>Weight</b>	8 kg

## About security

### In accordance with the NF E85-015 standard:

- A maximum height of 150 cm is allowed
  - A guardrail must be installed if the height to be climbed is greater than 50 cm.
- These provisions are not exhaustive. For other requirements, please refer to the standard mentioned above.

### Attention to soil capacity:

A loose floor can affect the safety of the installation.  
Please distribute the loads evenly over the entire platform surface.

### About railings and stairs:

A guardrail must be installed as soon as the height of fall is higher than 50 cm.  
A staircase less than or equal to 120 cm wide must have at least one handrail.

### Resistance

#### Fire resistance :

Fire resistance class: BFL-S1 (corresponds to the French M1 class).  
It complies with the European standard EN13501-1+A1:2010

#### Resistance Water resistance :

The top is made of birch multi-ply plywood filmed underneath and covered with a non-slip coating on top.

It is designed to withstand water splashes, so it can withstand the occasional rain.

It should not be immersed and installed for a long period of time or stored outdoors as it may swell and reduce the load capacity.

## INFORMATIONS COMPLÉMENTAIRES

<b>Brand</b>	ConteStage
<b>Dimensions</b>	1 x 0,5 m

## GALERIE D'IMAGES

