



PT29-200 blk

Triangular aluminium beam **Length: 200 cm** **Supplied with 1 junction kit**

Référence: H11299

279,00 € inc. VAT


















- 50 mm tubes
- 16 mm threads
- Triangular section with 240 mm distance between each tube (290 mm outside)
- Taper pin and key assembly
- Average weight per meter: 4.5 kg
- Section: 290 mm
- Length: 200 cm
- Use: point down
- Weight: 7.4 kg
- Manufactured to ISO DIN 4113 and TÜV standards.
- Aluminium alloy structure (EN AW 6082 T6).
- The use of conical joints and wedges allows a very fast implementation of all types of configurations combining a great robustness with an irreproachable stability. Disassembly is also quick and easy.

Caractéristiques

Brand	ConteStage
Length	200 cm
Finish colour	Black
Family	Triangular 290
Truss	Straight

Références compatibles

 <p>MC29-KIT</p> <p>41,00 € inc. VAT</p> <p>Réf: H3261</p>	 <p>EM29-B3T blk</p> <p>59,00 € inc. VAT</p> <p>Réf: H11302</p>	 <p>EM29-B3 blk</p> <p>89,00 € inc. VAT</p> <p>Réf: H11301</p>	 <p>AG29-053 blk</p> <p>549,00 € inc. VAT</p> <p>Réf: H11294</p>	 <p>AG29-042 blk</p> <p>359,00 € inc. VAT</p> <p>Réf: H11293</p>
 <p>AG29-041 blk</p> <p>359,00 € inc. VAT</p> <p>Réf: H11292</p>	 <p>AG29-036 blk</p> <p>299,00 € inc. VAT</p> <p>Réf: H11291</p>	 <p>AG29-035 blk</p> <p>299,00 € inc. VAT</p> <p>Réf: H11290</p>	 <p>AG29-034 blk</p> <p>299,00 € inc. VAT</p> <p>Réf: H11289</p>	 <p>AG29-033 blk</p> <p>299,00 € inc. VAT</p> <p>Réf: H11288</p>
 <p>AG29-025 blk</p> <p>189,00 € inc. VAT</p> <p>Réf: H11287</p>	 <p>AG29-023 blk</p> <p>189,00 € inc. VAT</p> <p>Réf: H11286</p>	 <p>AG29-022 blk</p> <p>189,00 € inc. VAT</p> <p>Réf: H11285</p>	 <p>AG29-021 blk</p> <p>189,00 € inc. VAT</p> <p>Réf: H11284</p>	 <p>AG29-020 blk</p> <p>189,00 € inc. VAT</p> <p>Réf: H11283</p>

Galerie photos



