

LED STRIPS, COLD WHITE RIBBONS

Contest
DYNAMIC LIGHTING

PURETAPE6020-COLD

Part no. H10537 EAN 3662009016115

- › Cold white LED ribbon 6000 K
- › Color temperature :
- › Roll of 5 meters - IP20 - 60 LEDs/meter



PRODUCT PAGE ONLINE

dyna.lighting/en/product/PURETAPE6020-COLD

Manuals, compatible accessories and updates — scan the code or click the address.

Technical specifications

Voltage input	24 V
Number of LEDs/m	60 LEDs
On mode power	15 W/m
Total efficiency (lm/W)	101
Protection class	IP20
LED type	SMD 5050
Light output (lm/m)	1631
Energy efficiency	F
Colour temperature	6000 K
CRI	78
CRI	80
CRI (Max)	85
CRI - R9	14
Chromatic coordinates (x)	0.323
Chromatic coordinates (y)	0.3384
Lighting technology	LED
Non-directional or directional	Non-directional
Beam angle (°)	120°
Sector or non sector	No sector
Connected light source	No
Adjustable colour	No
Height	2.2 mm

Width (mm)	10
Split length	100 mm
Length	5 m

Compatible accessories



TAPEDRIVER-WIFI4
H10580



TAPElive4
H10572



TAPEDRIVER-16POW
H11769



TAPEDIMMER
H9866



TAPEDRIVER-1
H10573



TAPEDRIVER-3
H10574




TAPEDRIVER-4
H10575



TAPEBOOSTER-1X10A
H10769



TCO-2
H10549



XCO-2
H10550



LCO-2
H10548



PILOTdrive-1 MKII
H11384

Photo

