



SMARTTAPE6020-5

Pixel tricolor LED ribbon 60 LEDs/meter - IP20 - 5 V

The new WS2813 LED allows operation over the entire ribbon even if an LED fails.



Référence: H11253

109,00 € inc. VAT



Caractéristiques

Brand	Contest Dynamic Lighting
Voltage input	5 V
Nombre de LEDs/m	60 LEDs
On mode power	14 W/m
Total efficiency (lm/W)	18
Protection class	IP20
LED type	WS2813
Light output (lm/m)	272
CRI	39
Chromatic coordinates (x)	0.2138
Chromatic coordinates (y)	0.2339
Lighting technology	LED
Non-directional or directional	Non-directional
Beam angle (°)	120°
Sector or non sector	No sector
Connected light source	No
Adjustable colour	Yes
Hauteur	2.2 mm
Width (mm)	10
Split length	17 mm
Length	5 m
Nombre de pixels/m	60 pixels

Références compatibles



SMART-CTL250

**319,00 € inc.
VAT**

Réf: H11260



SMART-CTL800

**749,00 € inc.
VAT**

Réf: H10949



SMART-DMX2U

**699,00 € inc.
VAT**

Réf: H10968



SmartCTL-BTL

**35,00 € inc.
VAT**

Réf: H11037