

ARCHITECTURAL SPOTLIGHTS



BEAMER FC COURSE - INDOOR

Part no. B05504 EAN 5420025655040

› High power RGBB LED floodlight with 14 OSRAM
5W LEDs



PRODUCT PAGE ONLINE

briteq-lighting.com/stage-beamer-fc-indoor

Manuals, compatible accessories and updates — scan the code or click the address.

Overview

Additional "16-BIT TOUR" mode with 16-bit color control (R, G, B and B controlled on 2 channels: coarse + fine)

The DMX inputs/outputs are now equipped with two XLR connectors, one 3-pin and one 5-pin

Very powerful RGB LED floodlight equipped with 14 x 5W OSRAM four-color LEDs:

Unwanted dark tones are completely eliminated

Perfect color mix evenly distributed, even at close range.

Beam angle: 14°.

This LED floodlight is your first choice: it can light up small, medium or large scenes, but will also fit perfectly into architectural lighting.

Perfect alternative to traditional PAR64 floodlights: only 65W power consumption at full intensity and no need for bulky dimmer blocks!

The adoption of LED technology allows for significant energy savings compared to halogen lamp equipment!

Several DMX operating modes: 4, 5, 6, 7, 9, 10, 15 channels

Thanks to all kinds of special functions, this projector is chosen by professional lighting designers:

Color temperature presets between 3200 K and 10000 K

RGBB calibration.

Different gradation curves

Addressing by ID

Neutrik powerCON input/output (max. 24 units)

3-pin + 5-pin DMX input/output

Recall of custom programs via DMX

Menu-driven LED display on the back with password protection

Tempered glass lens protection

The 1200 Hz LED is also suitable for TV studios (no interference with TV cameras)

Completely silent: the projector is cooled by natural air circulation, so there is no need for noisy fans!

The lightweight aluminum housing has two suspension brackets so that it is also possible to use this projector on the ground.

Compatible accessories



SIGNAL LINK CABLE

5M

B04903



SIGNAL LINK CABLE

10M

B04904



SIGNAL LINK CABLE

1,5M

B04908



POWERLINK CABLE

5m

B04324



POWERLINK CABLE

10m

B04913



POWERLINK CABLE

1,5m

B04911



LDP-Powercable 5M

B05158



LDP-Powercable 2M

B05157



PROJECTOR CASE 3

B03280

Photo



Photo



Photo



Photo

