

ARCHITECTURAL SPOTLIGHTS



BEAMER FC COURSE - OUTDOOR

Part no. B05511 EAN 5420025655118

IP65

- › High Power RGBB LED floodlight with 14 OSRAM 5W LEDs for outdoor use - IP65



PRODUCT PAGE ONLINE

briteq-lighting.com/stage-beamer-fc-outdoor

Manuals, compatible accessories and updates — scan the code or click the address.

Technical specifications

- Several DMX operating modes : 4, 5, 6, 7, 9, 10, 15 channels
- Thanks to all kinds of special functions, this projector is chosen by professional lighting designers:
- Color temperature presets from 3200 K to 10,000 K
- RGBB calibration
- Different gradation curves
- Addressing by ID
- Neutrik powerCON input/output (max. 24 units)
- 3-pin + 5-pin DMX input/output
- Recall of custom programs via DMX
- Menu-driven LED display on the back with password protection
- Tempered glass lens protection
- The 1200 Hz LED is also suitable for TV studios (no interference with TV cameras)
- Completely silent : the projector is cooled by natural air circulation, so there is no need for noisy fans!

Overview

Additional "16-BIT TOUR" mode with 16-bit color control (R, G, B and B controlled on 2 channels: coarse + fine)

Very powerful RGB LED floodlight equipped with 14 x 5W OSRAM four-color LEDs:

Unwanted dark tones are completely eliminated

Perfect color mix evenly distributed, even at close range

Beam angle: 14°.

IP65

This LED floodlight is your first choice: it can light up small, medium or large scenes, but will also fit perfectly into architectural lighting.

Perfect alternative to traditional PAR64 floodlights: only 65W power consumption at full intensity and no need for bulky dimmer blocks!

The adoption of LED technology allows for significant energy savings compared to halogen lamp equipment!

The lightweight aluminum housing has two suspension brackets so that it is also possible to use this projector on the ground.

NOTE: This product has an IP65 rating for outdoor installation under normal conditions (not exposed to sea water).

Compatible accessories



SIGNAL LINK CABLE
5M

B04903



SIGNAL LINK CABLE
10M

B04904



SIGNAL LINK CABLE
1,5M

B04908



POWERLINK CABLE
5m

B04324



POWERLINK CABLE
10m

B04913



POWERLINK CABLE
1,5m

B04911



LDP-Powercable 5M

B05158



LDP-Powercable 2M

B05157




PROJECTOR CASE 3

B03280

Photo



Photo



Photo



Photo

