



ULTRA CLAMP black

Quick-release hook for 48 to 51 mm tube CMU 150 kg



Référence: B06600

[vc_row el_class="text-center"][vc_column][vc_column_text animation="animation fade-in"]

Ultra Clamp

Black

[/vc_column_text][vc_column_text animation="animation fade-in"]

Quick-release hook

[/vc_column_text][vc_empty_space height="40px"][/vc_column][vc_row][vc_row thb_row_padding="true" el_class="align-center" css=".vc_custom_1594821038398{margin-bottom: 40px !important;padding-top: 10vh !important;padding-bottom: 10vh !important;background-color: #000000 !important;}"][/vc_column offset="vc_col-lg-12 vc_col-md-8" el_class="text-center"][/vc_column_text animation="animation fade-in"]

10x faster!

[/vc_column_text][vc_empty_space height="40px"][/vc_row_inner][vc_column_inner width="1/6"][/vc_column_inner][vc_column_inner thb_color="thb-light-column" width="2/3"][/vc_column_text]

This mounting hook is equipped with the ultra-fast "CLICK-ON" installation system.

[/vc_column_text][/vc_column_inner][vc_column_inner width="1/6"][/vc_column_inner][vc_row_inner][vc_row_inner][vc_column_inner][vc_empty_space height="60px"][/thb_image retina="retina_size" full_width="true" animation="animation bottom-to-top" alignment="aligncenter" image="2955"][/thb_image][vc_empty_space height="60px"][/vc_column_inner][vc_row_inner][vc_row_inner][vc_column_inner width="1/6"][/vc_column_inner][vc_column_inner thb_color="thb-light-column" width="2/3"][/vc_column_text]

10 times faster installation compared to standard hooks. Thanks to the enormous time savings during assembly and disassembly, this mounting hook is the ideal choice.

Perfect for aluminum tubes (no damage), it is equipped with an M10 bolt and wing nut to fix any suitable support.



Adjustable for use on ALU tubes of 48 mm to 51 mm

[/vc_column_text][vc_empty_space height="60px"][/vc_column_inner][vc_column_inner width="1/6"][/vc_column_inner][vc_row_inner][vc_column][vc_row][vc_row thb_full_width="true" thb_row_padding="true" css=".vc_custom_1594286078307{margin-top: 0px !important;margin-right: 0px !important;background-color: #ededed !important;}"][/vc_column][vc_row_inner thb_row_padding="true" css=".vc_custom_1592473376439{margin-bottom: 15% !important;padding-top: 8% !important;padding-right: 10% !important;padding-bottom: 8% !important;padding-left: 10% !important;}"][/vc_column_inner][vc_column_text animation="animation fade-in"]

Technical specifications

- [/vc_column_text][vc_empty_space height="60px"][/vc_column_text]- Material: AL6061-T6
- Width: 30 mm
 - CMU (Maximum Working Load) : 150 kg
 - For tubes with diameters between 48 and 51 mm
 - Bolt M10
 - Finish : Black[/vc_column_text][/vc_column_inner][vc_row_inner][vc_column][vc_row]

Caractéristiques

Brand	Briteq
SWL	150 kg
Tube size	48 to 51 mm
Truss	Hook

Références compatibles



**BT-THEATRE
400TW**

**990,00 € inc.
VAT**

Réf: B06045



**BT-THEATRE
261FC**


**1079,00 €
inc. VAT**

Réf: B06046

Galerie photos









Type Approved
Safety
Regular Production
Surveillance

www.tuv.com
ID 1419054922