



VBAR-100RGL

Référence: H11379

799,00 € inc. VAT



Architectural spotlight IP66 24 LEDs RGL 100 W 12°- 4 zones

LED

- 24 x LEDs 4 W 4 in 1 Red Green Blue Lime
- Symmetrical lenses with 12° aperture - 4 LED zones

Brightness

- 3620 lm - 1580 lux at 5 m

Power consumption

- 102 W

Dimensions

- 997 x 117 x 53 mm

Weight

- 5.7 kg

Connections

- DMX/Power connections via hybrid IN and OUT cables with IP 67 plugs

Features

- External VRDM-Control box for RDM parameterization
- Compatible with RDM consoles on certain parameters
- DMX control protocol on 2 to 20 channels depending on the selected mode
- Power supply: 110-240 V/50-60 Hz
- Selectable refresh rate from 900 Hz to 3600 Hz
- Cooling: convection
- Finish: cast aluminium, epoxy-painted grey-white RAL 9002
- IP 66 protection: dust- and splash-proof from all directions
- Shock resistance IK 07: protected against a mechanical shock of 2 joules, i.e. an object weighing 500 g dropped from a height of 40 cm.
- Sealed diaphragm depressurization valve

Caractéristiques

Brand	Contest Architectural Lighting
Controllable colours	Lime, RGBL
Power	100 W
Protocole	DMX, RDM
Type de lampe	LED

Accessoires recommandés



VRDM-CONTROL

379,00 € inc. VAT
Réf: H11383



VRDM-SPLIT

249,00 € inc. VAT
Réf: H11546

Galerie photos



 **hitmusic**
Fabrique sensorielle

www.hitmusic.eu/en/