




VCOB-120DW

819,00 € inc. VAT

IP66 COB DW LED 120 W 2700 - 6800 K 50° architectural
spotlight



SKU: H11374

Categories: [Versatile spotlights](#)

Tags: [Versatile](#)

EAN13 : 3662009024769

brand Contest Architectural Lighting

LED

- COB 120 W Dynamic White 2700-6800 K
- Symmetrical lenses with 50° aperture

Brightness

- 6553 lm - 294 lux at 5 m

CRI

- 97

Consumption

- 120 W

Dimensions

- 316 x 193 x 297 mm

Weight

- 8.7 kg

Connections

- DMX/Power connections via hybrid IN and OUT cables with IP 67 plugs

Features

- External VRDM-Control box for RDM parameterization
- Compatible with RDM consoles on certain parameters
- DMX control protocol on 2 to 4 channels depending on the selected mode
- Power supply: 110-240 V/50-60 Hz
- Selectable refresh rate from 900 Hz to 3600 Hz
- Cooling: convection
- Finishes: cast aluminium, epoxy-painted grey-white RAL 9002
- IP 66 protection: dust- and splash-proof from all directions
- Shock resistance IK 07: protected against a mechanical shock of 2 joules, i.e. an object weighing 500 g dropped from a height of 40 cm.
- Sealed diaphragm depressurization valve

INFORMATIONS COMPLÉMENTAIRES

Brand	Contest Architectural Lighting
Controllable colours	Cold white, Natural white, Warm white
Power	120 W
Protocole	DMX, RDM
Type de lampe	COB

GALERIE D'IMAGES

