



## **VCOB-60DW**

Référence: H11377

519,00 € inc. VAT



IP66 COB DW LED 2700 - 6300 K 60 W 60° architectural spotlight

## LED

- COB 60 W Dynamic White 2700-6300 K
- Symmetrical lenses with 60° aperture

## Brightness

- 4021 lm - 102 lux at 5 m

## CRI

- 96

## Consumption

- 60 W

## Dimensions

- 224 x 117 x 221 mm

## Weight

- 3.7 kg

## Connections

- DMX/Power connections via hybrid IN and OUT cables with IP 67 plugs

## Features

- External VRDM-Control box for RDM parameterization
- Compatible with RDM consoles on certain parameters
- DMX control protocol on 2 to 4 channels depending on the selected mode
- Power supply: 110-240 V/50-60 Hz
- Selectable refresh rate from 900 Hz to 3600 Hz
- Cooling: convection
- Finishes: cast aluminium, epoxy-painted grey-white RAL 9002
- IP 66 protection: dust- and splash-proof from all directions
- Shock resistance IK 07: protected against a mechanical shock of 2 joules, i.e. an object weighing 500 g dropped from a height of 40 cm.
- Sealed diaphragm depressurization valve

## Caractéristiques

<b>Brand</b>	Contest Architectural Lighting
<b>Controllable colours</b>	Cold white, Natural white, Warm white
<b>Power</b>	60 W
<b>Protocole</b>	DMX, RDM
<b>Type de lampe</b>	COB

## Galerie photos

