



## **VH20-90**

Référence: H11554

999,00 € inc. VAT



Architectural floodlight IP66 water effect LED 90 W 25° - 40° - 55° - 7800 K

## LED

- 1 x LED 90 W 7800 K
- Color wheel + 2 effect wheels

## Consumption

- 72 W

## Dimensions

- 300 x 209 x 286 mm

## Weight

- 7 kg

## Connections

- DMX/Power connections via hybrid IN and OUT cables with IP67 plugs

## Features

- External VRDM-Control box for RDM setting
- Compatible with RDM consoles on certain parameters
- 5-channel DMX control protocol
- Power supply: 110-240 V/50-60 Hz
- Cooling: convection
- Finishes: cast aluminium epoxy paint, grey-white RAL9002
- IP66 protection rating: resists dust and water splashes from all directions
- Shock resistance IK07: protected against a mechanical shock of 2 joules, i.e. an object weighing 500 g dropped from a height of 40 cm.
- Sealed diaphragm depressurization valve
- 3 different lenses included for 25°, 40° and 55° beam angles

## Caractéristiques

|                             |   |
|-----------------------------|---|
| <b>Brand</b>                | Contest Architectural Lighting                                  |
| <b>Controllable colours</b> | Cold white, Cyan, Green, Lavender, Magenta, Orange, Red, Yellow |
| <b>Power</b>                | 90 W  |
| <b>Protocole</b>            | DMX, RDM  |
| <b>Type de lampe</b>        | LED   |

## Galerie photos

