



VH20-90

Architectural floodlight IP66 water effect LED 90 W 25° - 40° - 55° - 7800 K

Référence: H11554

999,00 € inc. VAT



- Power: 90 W
- LEDs: 90 W, 7800 K
- Lens apertures: 25°, 40°, 55° (3x lenses supplied)
- Colors: Color wheel, 7 colors + white
- Effects: 2x water effect wheels
- Power consumption: 72 W
- Dimensions: 300 x 209 x 286 mm
- Weight: 7 kg
- Connections: DMX/Power via hybrid IN and OUT cables with IP67 plugs
- Parameterization: VRDM-Control external box for RDM parameterization
- RDM console compatibility: Yes, for basic parameters (DMX address, DMX mode, version, etc.).
- How to use :
 - Standalone: Master/Slave and Single
 - DMX: 5 channels
- Macro: Create your own macros for use in Master/Slave or Single mode
- Power supply: 110-240 V / 50-60 Hz
- Refresh rate: Selectable from 900 Hz to 3600 Hz
- Cooling : Convection
- Finish: Cast aluminium, epoxy-painted grey-white RAL 9002
- Degree of protection: IP66 (protected against dust and water spray from all directions)
- Shock resistance: IK07 (protected against an impact of 2 joules, equivalent to a 500 g object falling from 40 cm)
- Pressure control: Sealed diaphragm depressurization valve
- Accessories: VC-Start power cord, IP plugs, 3x lenses

Caractéristiques

Brand	Contest Architectural Lighting
Controllable colours	Cold white, Cyan, Green, Lavender, Magenta, Orange, Red, Yellow
Power	90 W
Protocole	DMX, RDM
Type de lampe	LED

Références compatibles



VRDM-CONTROL

379,00 € inc.

VAT

Réf: H11383



VRDM-SPLIT

249,00 € inc.

VAT

Réf: H11546

Galerie photos





