

VPANEL-200RGBL

1399,00 € inc. VAT

IP66 24 LED RGBL 200 W 30° architectural spotlight



SKU: H11547

Categories: [Versatile spotlights](#)

Tags: [Versatile](#)

EAN13 : 3662009026268

brand Contest Architectural Lighting



Optics

24 x 20 W LEDs 4 in 1 RGBL

' Double structured lenses for perfect beam distribution

' Symmetrical lenses with 30° aperture

Brightness

- 6352 lm - 1080 lux at 5 m

Connectors

- DMX/Power connections via hybrid IN and OUT cables with IP 67 plugs

Features

- External VRDM-Control unit for RDM parameterization

- Compatible with RDM consoles on certain parameters.

- DMX control protocol on 2 to 20 channels depending on the selected mode

- Power supply: 110-240V/50-60 Hz

- Power consumption: 207 W

- Selectable refresh rate from 900 Hz to 3600 Hz.

- Cooling: convection

- Finishes: cast aluminium, epoxy-painted grey-white RAL 9002

- IP 66 protection rating: resists dust and water splashes from all directions

- Shock resistance IK 07: protected against a mechanical shock of 2 joules, i.e. an object weighing 500 g dropped from a height of 40 cm.

- Sealed diaphragm depressurization valve
- Dimensions: 582 x 270 x 178 mm
- Weight: 15 kg

INFORMATIONS COMPLÉMENTAIRES

Brand	Contest Architectural Lighting
Controllable colours	RGBL
Power	200 W
Protocole	DMX, RDM
Type de lampe	LED

GALERIE D'IMAGES



