



## **VPAR-150DW**

Référence: H11551

929,00 € inc. VAT



IP66 architectural spotlight 18 DW 2700 - 6000 K 150 W 25° LEDs

#### LED

- 18 x LEDs 15 W Dynamic White 2700-6000 K
- Symmetrical lenses with 25° aperture

#### Brightness

- 6831 lm - 1160 lux at 5 m

#### CRI

- 96

#### Consumption

- 150 W

#### Dimensions

- 157 x 270 x 290 mm

#### Weight

- 7 kg

#### Connections

- DMX/Power connections via hybrid IN and OUT cables with IP 67 plugs

#### Features

- External VRDM-Control box for RDM parameterization
- Compatible with RDM consoles on certain parameters
- DMX control protocol on 2 to 4 channels depending on the selected mode
- Power supply: 110-240 V/50-60 Hz
- Selectable refresh rate from 900 Hz to 3600 Hz
- Cooling: convection
- Finish: cast aluminium, epoxy-painted grey-white RAL 9002
- IP 66 protection: dust- and splash-proof from all directions
- Shock resistance IK 07: protected against a mechanical shock of 2 joules, i.e. an object weighing 500 g dropped from a height of 40 cm.
- Sealed diaphragm depressurization valve

### Caractéristiques

<b>Brand</b>	Contest Architectural Lighting
<b>Controllable colours</b>	Cold white, Natural white, Warm white
<b>Power</b>	150 W
<b>Protocole</b>	DMX, RDM
<b>Type de lampe</b>	LED

## Galerie photos



 **hitmusic**  
Fabrique sensorielle

[www.hitmusic.eu/en/](http://www.hitmusic.eu/en/)